# **ACCESSORIES**



# eurobex-

Visit www. eurobex .com for details.

Call us toll free 1-800-363-2423

# **GENUINE EUROBEX ACCESSORIES**

# Choose your Eurobex accessories



Commercial Lock inserts p.339



Commercial Key & pad locks p.340



Commercial **Door handles** p.340



Commercial Lock accessories p.340



**ESCH style** Locks & inserts p.341



Industrial Lock inserts p.343



Industrial Key & pad locks p.344



Industrial **Door handles** p.344



Industrial p.345



Individual cams, Lock accessories Inserts & housings p.345



Stainless steel Lock inserts p.347



Stainless steel Key & pad locks p.346



Stainless steel **Handles** p.346



Cabinet **Handles** p.348



Electronic Lock devices p.66



Gear **Boxes** p.350



Mounting Feet & stands p.351



Cabinet Door p.352



Cabinet **Panels** p.354



Swing out **Panels** p.358



Side **Panels** p.359



Lights and **Accessories** p.360



Hinged & fixed Window kits p.364



Door stop Kits p.365



**External Drip shields** p.365

# **GENUINE EUROBEX ACCESSORIES**

# Choose your Eurobex accessories



Folding Shelves p.366



Pole Mounting kits p.366



Inner panel Depth adjustor p.366



Print Pockets p.367



Castor Wheels p.368



Industrial Eye bolts p.368



Touch up Paint p.368



Grounding Accessories p.369



Hole Plugs p.370



Hardware Kits p.371



Gas spring Cylinders p.371



Self-adhesive Gasket tape p.371



DIN rails and Accessories p.374



Pressure Compensation p.375



Thermostats, Hygrostats p.376



Enclosure Heaters p.378



Louver plates, Filters p.382



Filter fans (Indoor use) p.384



Filter fans (Outdoor use) p.395



Top mounted Exhaust filters p.398



# eurobex

Visit www. eurobex .com for details.

Call us toll free 1-800-363-2423


# ES SERIES DOOR LOCKS AND HANDLES


## Industrial door locks - 880 SCQ4 series


The 880 SCQ4 series door These accessories include: accessories were designed to fit Eurobex 'ES' style industrial enclosures. A full range of accessories are available to accomodate a variety of applications.

- 14 types of lock inserts (p.343)
- Key lock, padlock and combination lock provisions (p.344)
- Operating handles (p.344)
- 1/4 turn lock dust cap (p.345)...

Locking mechanisms can be ordered as complete units or in parts. Parts include individual inserts, cams and housings.







#### Available accessories, amongst others:



Lock inserts p.343



**Key locks** p.344



**Combination locks** p.344



**Padlocks** p.344



'L' handles p.344



'T' handles p.344



Wing handles p.344



Wing padlock p.344



Interior handle p.344



**Dust cap** p.345

#### The 880 SCQ4 accessories are to be used with these enclosure series, amongst others:



5100 ES 5412 ES



5100 ESDD 5412 ESDD



5412 DDS



9412



5412 ESA

# ES SERIES DOOR LOCKS AND HANDLES

## Tool operated locking mechanisms, industrial & standard



#### Slot 2 X 4mm lock

CATALOG #: 880 SCQ4-SL

KEY NUMBER: None Key included?: N/A

Material: Steel/Zinc Cast
For use with: ES series, 9412
ESA, 5412 ESDD...



## Square 6mm

CATALOG #: 880 SCQ4-SQ6 KEY NUMBER: K-SQ6

KEY NUMBER: K-SQ Key included?: No

Material : Steel/Zinc Cast
For use with : ES series, 9412
ESA, 5412 ESDD...



## Square 7mm

CATALOG #: 880 SCQ4-SQ7

KEY NUMBER: K-SQ7 Key included?: No

Material: Steel/Zinc Cast
For use with: ES series, 9412
ESA, 5412 ESDD...



#### Square 8mm

CATALOG #: 880 SCQ4-SQ8

KEY NUMBER: K-SQ8 Key included?: No

Material : Steel/Zinc Cast For use with : ES series, 9412 ESA, 5412 ESDD...



#### Triangular 7mm

CATALOG #: 880 SCQ4-TR7

KEY NUMBER: K-TR7 Key included?: No

Material: Steel/Zinc Cast
For use with: ES series, 9412
ESA, 5412 ESDD...



#### Triangular 8mm

CATALOG #: 880 SCQ4-TR8

KEY NUMBER: K-TR8
Key included?: No

Material : Steel/Zinc Cast
For use with : ES series, 9412
ESA, 5412 ESDD...



#### Double bit 3mm

CATALOG #: 880 SCQ4-DB3

KEY NUMBER: K-DB3 Key included?: No

Material: Steel/Zinc Cast
For use with: ES series, 9412
ESA, 5412 ESDD...



#### Double bit 5mm

CATALOG #: 880 SCQ4-DB5

KEY NUMBER: K-DB5 Key included?: No

Material : Steel/Zinc Cast
For use with : ES series, 9412
ESA, 5412 ESDD...



#### Hexagon 10mm

CATALOG #: 880 SCQ4-HX

KEY NUMBER: K-HX Key included?: No

Material : Steel/Zinc Cast
For use with : ES series, 9412
ESA. 5412 ESDD...



#### Hexagon with pin

CATALOG #: 880 SCQ4-HXP

KEY NUMBER: K-HXP Key included?: No

Material : Steel/Zinc Cast
For use with : ES series, 9412
ESA, 5412 ESDD...



## Slot 2 X 4mm coinproof

CATALOG #: 880 SCQ4-SLP

KEY NUMBER: None Key included?: No

Material : Steel/Zinc Cast For use with : ES series, 9412 ESA, 5412 ESDD...



#### Crown type

CATALOG #: 880 SCQ4-CW

KEY NUMBER: K-CW Key included?: No

Material : Steel/Zinc Cast For use with : ES series, 9412 ESA, 5412 ESDD...



#### Daimler Benz type

CATALOG #: 880 SCQ4-BZ

KEY NUMBER: K-BZ Key included?: No

Material: Steel/Zinc Cast
For use with: ES series, 9412
ESA, 5412 ESDD...



#### Anti-vibration double bit

CATALOG #: 880 SCQ4-AV KEY NUMBER: K-DB5

Key included? : No

Material : Steel/Zinc Cast For use with : ES series, 9412 ESA, 5412 ESDD...

Items listed above are complete units. Individual parts (inserts, cams, housings) can be ordered. See page 345.

# eurobex•

Visit www. eurobex .com for details.

Call us toll free 1-800-363-2423

# ES SERIES DOOR LOCKS AND HANDLES

## 'ES' style key locks, pad locks and combination locks



## Key lock

CATALOG #: 880 SCQ4-K **KEY NUMBER:** K-KL1 Key included? : Ves Material:

Plated steel For use with: ES series, 9412 ESA, 5412 ESDD...



#### Combination lock

CATALOG # : 880 SCQ4-NL **KEY NUMBER:** None Key included? : No

Material: Plated steel ES series, 9412 For use with: ESA, 5412 ESDD...



#### Padlock provisions

CATALOG #: 880 PLESQ375 **KEY NUMBER: Padlock** 

Key included?: No

Material: Stainless steel For use with: ES series, 9412 ESA, 5412 ESDD...



#### Weatherproof padlock 3/8"

CATALOG #: 880 PDLK375 **KEY NUMBER:** K-KL1 Key included?: Yes

Steel/Plastic Material: For use with:

880 PLESQ38 General purpose



#### General purpose padlock

CATALOG #: 880 PL **KEY NUMBER:** Use padlock

Key included?:

Material: Plated steel For use with: ES series, 9412 ESA. 5412 ESDD...



#### Stainless steel padlock

CATALOG #: 880 PLSS **KEY NUMBER:** Use padlock

Key included? :

Material: Stainless steel For use with: ES series. 9412 ESA, 5412 ESDD...

## Industrial door handles



#### Key lock 'L' handle

1 point lock : 880 SCQ4-L 3 point lock : 885 ESL2A **KEY NUMBER:** K-KL1 Key included?: Material: **Zinc Cast** For use with: ES series, 9412

### Key lock 'T' handle

CATALOG #: 880 SCQ4-T **KEY NUMBER:** K-T

Kev included?:

Material: Polyamide GF/Zinc For use with: ES series, 9412 ESA, 5412 ESDD....



## Key lock wing handle

CATALOG #: 880 SCQ4-WN

KEY NUMBER : K-WN Key included? : Yes

Material: Polyamide GF/Zinc For use with: ES series, 9412 ESA. 5412 ESDD...



## Key lock straight handle

CATALOG #: 880 SCQ4-SH **KEY NUMBER:** K-SH

Key included? :

Material: Polyamide GF/Zinc For use with: ES series, 9412 ESA, 5412 ESDD...



#### Wing knob

CATALOG #: 880 SCQ4-WNH

**KEY NUMBER:** None Key included?:

Material: Polyamide GF/Zinc For use with: ES series, 9412 ESA, 5412 ESDD...



#### Star handle

880 SCQ4-STH CATALOG #:

**KEY NUMBER:** None Key included? :

Material: Polyamide GF/Zinc For use with: ES series, 9412 ESA, 5412 ESDD...



#### Interior handle

CATALOG #: 880 SCQ4-DIH None

**KEY NUMBER:** 

\* Cannot be used with key lock. Material: Red polyamide ES series, 9412 For use with:

ESA, 5412 ESDD...



#### Padlockable wing handle

880 SCQ4-WNP CATALOG #: KEY NUMBER : **Padlock** 

Key included?: Material: Polvamide GF/Zinc

For use with: ES series, 9412 ESA, 5412 ESDD...

## ES SERIES DOOR LOCKS AND HANDLES

## Industrial European styling 1/4 turn lock



#### European slot lock

CATALOG #: 880 SCQ4-DSL

KEY NUMBER: None Key included?: No

Material : Polyamide GF/Zinc For use with : ES series, 9412 ESA. 5412 ESDD...



#### European lock w/inserts

European style ¼ turn locks are available with inserts upon request. These insert types are available: Square Triangular Double bit Hexagone Coinproof Crown Daimler East Europe ...

## Accessories for industrial 1/4 turn locks



#### 1/4 turn lock dust cap

CATALOG #: 880 DDC KEY NUMBER: None Key included?: No

Material : Polyamide GF
For use with : ES series, 9412
ESA, 5412 ESDD...




## Finger pull for 1/4 turn lock

CATALOG #: 880 DFP
KEY NUMBER: None
Key included?: No

Material: Polyamide GF For use with: ES series, 9412 ESA, 5412 ESDD...

## Parts for quarter turn locks - Cams, inserts, housings



#### Commercial cam

CATALOG #: 880 SCQCOM-CAM

KEY NUMBER: None Key included?: No Material: Steel

For use with: Commercial and industrial boxes



## Industrial cam ('ES' series)

CATALOG #: 880 SCQ4-CAM

KEY NUMBER : None
Key included? : No
Material : Steel

For use with: ES series, 9412 ESA, 5412 ESDD...



#### Cam for 1500 CH throughs

CATALOG #: 880 SCQ4-CAMCH

KEY NUMBER: None
Key included?: No
Material: Zinc Cast
For use with: 1500 CH throughs



#### Industrial cam ('ESW')

CATALOG #: 880 SCQ4-CAMW

KEY NUMBER: None
Key included?: No
Material: Zinc Cast
For use with: 5412 ESW
5412 ESSW

DESCRIPTION	CATALOG NUMBERS FOR INDIVIDUAL INSERTS AND HOUSINGS				
DESCRIPTION	CHROME PLATED ZINC CAST	STAINLESS STEEL TYPE 304	STAINLESS STEEL TYPE 316		
Slot 2 X 4 mm insert	880 ISL	880 ISLSS4	880 ISLSS6		
Slot 1,2 X 3 insert	880 ISL2		<del></del>		
Square 6 mm insert	880 ISQ6	880 ISQ6SS4	<del></del>		
Square 7 mm insert	880 ISQ7	880 ISQ7SS4	880 ISQ7SS6		
Square 8 mm insert	880 ISQ8	880 ISQ8SS4	880 ISQ8SS6		
Square 8 mm slotted	880 ISQS				
Triangular 7 mm insert	880 ITR7	880 ITR7SS4	880 ITR7SS6		
Triangular 8 mm insert	880 ITR8	880 ITR8SS4	880 ITR8SS6		
Triangular 9 mm insert	880 ITR9				
Triangular 10 mm insert	80 ITR10				
Double bit 3 mm insert	880 IDB3	880 IDB3SS4	880 IDB3SS6		
Double bit 5 mm insert	880 IDB5	880 IDB5SS4	880 IDB5SS6		
Hexagon 10 mm insert	880 IHX				
Hexagon insert with pin	880 IHXP	880 IHXPSS4			
Slot 2 X 4 mm coinproof	880 ISLP				
Crown type insert	880 ICW				
Daimler Benz insert	880 IBZ	<b></b>			
Eastern Europe Ø13	880 IEE	880 IEESS4			
Fiat type insert	880 IFIAT				
Lock housing	880 SCQH	880 SCQHSS			

Other inserts, cams and housings available upon request. Call Eurobex at 1-800-363-2423 for more information.


# eurobex

Visit
www.
eurobex
.com
for details.

Call us toll free 1-800-363-2423

# **CABINET HANDLES**

## Cabinet handles



In addition to the standard slot and key lock, these inserts are available for the 885 ESL3 and 885 ESL4



Square 8mm

Square 7mm

Triangular 8mm



60

0

Triangular 7mm Double bit 5mm

Double bit 5mm Double bit 3mm

Other inserts available upon request.



The 880 APH automotive padlockable handle was designed to fit most type 4-12 enclosures. The handle is available with a key insert or spring loaded defeater, requiring a tool in order to operate the mechanism for disconnect requirements. A unique padlock trigger ensures positive closing. The handle can incorporate your company logo. Finish is textured black.

CATALOG NUMBER	DESCRIPTION	SHIP	
TTO III DE IT		LBS.	
880 APH-K	Key lock	2	
880 APH-D	Slotted defeater	2	

Note : Trigger is designed to fit  $\frak{1}{4}$ " and 5/16" padlocks.



The 885 ESL3 seal type door handle was designed to fit most type 4-12 enclosures. The handle is available with a key insert, a standard slot screw driver insert or a variety of other inserts. The 885 ESL3 are used when there is a need for a swivel handle with a seal provision. A protective dust cap is provided. Locks are rated NEMA Type 4. Finish is textured black.

CATALOG		SHIP
NUMBER	DESCRIPTION	WGHT
NUMBER		LBS.
885 ESL3K	Key lock	1
885 ESL3S	Screw driver slot	1
885 ESL3SQ7	Square 7mm	1
885 ESL3SQ8	Square 8mm	1
885 ESL3TR7	Triangular 7mm	1
885 ESL3TR8	Triangular 8mm	1
885 ESL3DB3	Double bit 3mm	1
885 ESL3DB5	Double bit 5mm	1
885 ESL3B	Blank	1



The 885 ESL4 seal type handle was designed to fit most type 4-12 enclosures. The handle is available with a key insert, a standard slot screw driver insert or a variety of other inserts. The 885 ESL4 are used when there is a need for a swivel handle with a padlock provision. This handle accomodates a 1/4" padlock. Locks are rated NEMA Type 4. Finish is textured black.

	TALOG MBER	DESCRIPTION	SHIP WGHT LBS.
885	ESL4K	Key lock	1
885	ESL4S	Screw driver slot	1
885	ESL4SQ7	Square 7mm	1
885	ESL4SQ8	Square 8mm	1
885	ESL4TR7	Triangular 7mm	1
885	ESL4TR8	Triangular 8mm	1
885	ESL4DB3	Double bit 3mm	1
885	ESL4DB5	Double bit 5mm	1
885	ESL4B	Blank	1

# CABINET HANDLES, PULL DOWN HASPS



The 880 PH padlockable handles are used for outdoor application. This sturdy handle is made of chrome plated steel or of stainless steel. Comes complete with installation hardware and gasket.

SHIP **CATALOG DESCRIPTION** WGHT **NUMBER** LBS. 880 PH Chrome plated steel 1 **880 PHSS** Stainless steel



The 886 ELKPX electronic keypad system grants access to an enclosure upon entry of the correct code on the keypad. The handle can be used standalone, in electronic master-slave systems and remote access control systems.

For detailed information on the E.line electromechanical lock system, please see page 66.

Please see page 66 for details.



The 886 ELIT transponder handle is opened using transponder devices. The handle can be used standalone, in electronic masterslave systems and remote access control systems.

For detailed information on the E.line electromechanical lock system, please see page 66.

Please see page 66 for details.

# Pull down hasps



Pull down padlock hasp

CATALOG #: 883 CM1 **KEY NUMBER:** Use padlock

Key included?: No Material:


Plated steel For use with: 1300 H, 1500 Lay-in ducts

SS Pull down padlock hasp

CATALOG #: 883 CM1SS **KEY NUMBER:** Use padlock

Key included?: No

Material: Stainless steel 5412 ESFRQ. For use with: 1300 H, 1500 SS





CATALOG #: 883 CM2 **KEY NUMBER:** Use padlock

Key included?: No

Material: Stainless steel For use with: 5300 ES

# eurobex

Visit
www.
eurobex
.com
for details.

Call us toll free 1-800-363-2423

# **GEAR BOX AND LATCH RODS**

## Gear boxes - Series 885 GBOX

The 885 GBOX gear boxes are used with Eurobex door locks as three point latch locking mechanisms. Three versions of 885 GBOX exist, each corresponding to a particular Eurobex door lock.



CATALOG NUMBER	FOR USE WITH	SHIP WGHT LBS.
885 GBOX1	880 PH series	1



CATALOG	FOR USE	WGHT
NUMBER	WITH	LBS.
885 GBOX2	885 ESL2A, 880 APH	1



CATALOG NUMBER	FOR USE WITH	SHIP WGHT LBS.
885 GBOX3	885 ESL3, 885 ESL4	1

## Latching rods for 5500 and 9500 series

The CBAR series is used as part of a three point latching mechanism in the 5412, 5500 and 9500 series enclosures. The CBAR's can be used as replacement parts or to build a custom latching mechanism.

**881 CBAR** latching rods fit 5500 ESDD series cabinets and large 5412 ES cabinets (height >=42").

**885 CBAR** latching rods fit 5500 DDS series cabinets.

**889 CBAR** latching rods fit 9500 series cabinets.



CATALOG	FOR USE WITH	WGHT
NUMBER	5412 ES / 5500 ESDD	LBS.
881 CBAR24 881 CBAR30	24" height	1
881 CBAR30	30" height	1
881 CBAR36	36" height	2
881 CBAR42	42" height	3
881 CBAR48	48" height	3
881 CBAR54	54" height	3
881 CBAR60	60" height	3
881 CBAR72	72" height	3
CATALOG NUMBER	FOR USE WITH 5500 DDS CABINETS	SHIP WGHT LBS.
885 CBAR60	60" height	3
885 CBAR72	72" height	3
	FOR USE WITH 9500 CABINETS	SHIP WGHT LBS.
889 CBAR60	60" height	3
889 CBAR72	72" height	3
889 CBAR84	84" height	3
889 CBAR90	90" height	3

SHIP

# **MOUNTING FEET, FLOOR STANDS**

1100, ESSC...

## Mounting feet for small and medium-sized enclosures



#### JIC Wall mounting feet

CATALOG #: 885 ESCHMF Four mounting feet & hardware incl. Mounted vertically or horizontally. Zinc cast Material: For use with: ESCH series.



## 'ESFR' Wall mounting feet


885 ESFRMF CATALOG #: Four mounting feet & hardware incl. Mounted vertically or horizontally. Material: Plastic For use with: ESFRS, ESFRH,





### 'ES' Wall mounting feet

CATALOG #: 885 ESMF1 Four mounting feet & hardware incl. Mounted vertically or horizontally. Material: Plated steel ES series, ESDD, For use with:





### SS Wall mounting feet

CATALOG #: 885 ESMF2 Four mounting feet & hardware incl. Mounted vertically or horizontally. Material: Stainless steel ESS series, ESSDD For use with:





### Offset mounting feet 0.5"

CATALOG #: 885 ESOMF1 Four mounting feet & hardware incl. Mounted vertically or horizontally. Material: Plated steel For use with:

ES series, ESDD, 5300 MC, ESA, ESY



### SS offset mounting feet 0.5"

CATALOG #: 885 ESOMF2 Four mounting feet & hardware incl. Mounted vertically or horizontally. Material: Stainless steel For use with: ESS series, ESSDD





#### Offset mounting feet 1.5"

885 ESOMF1A CATALOG #: Four mounting feet & hardware incl. Mounted vertically or horizontally. Material: Plated steel ES series, ESDD, For use with:


5300 MC, ESA, ESY



#### SS offset mounting feet 1.5"

CATALOG #: 885 ESOMF2A Four mounting feet & hardware incl. Mounted vertically or horizontally. Material: Stainless steel For use with: ESS series, ESSDD ESSA, ESSY...

## 5412 & 5500 series floor mounting stands



The 885 MF - Floor mounting feet are made from 14 GA steel, predrilled for fixation to the floor and to the bottom of the 5412 and 5500 series enclosures. Kits come complete with all necessary hardware. Mounting feet are finished with heat fused polyester powder, electrostatically applied on a phosphatized base. Finish is ANSI/ASA 61 gray.

CATALOG	DIME	NSIONS	SHIP	CATALOG	DIMEN	ISIONS	
NUMBER	Α	В	WGHT	NUMBER	Α	В	WGHT
HOMBEN			LBS.				LBS.
885 MF0606	6	6	14	885 MF1516	15	16	37
885 MF0608	6	8	16	885 MF1520	15	20	44
885 MF0610	6	10	17	885 MF1524	15	24	45
885 MF0612	6	12	18	885 MF1806	18	6	28
885 MF0616	6	16	21	885 MF1808	18	8	32
885 MF0620	6	20	25	885 MF1810	18	10	36
885 MF0624	6	24	28	885 MF1812	18	12	41
885 MF1206	12	6	21	885 MF1816	18	16	47
885 MF1208	12	8	23	885 MF1820	18	20	49
885 MF1210	12	10	26	885 MF1824	18	24	51
885 MF1212	12	12	32	885 MF2406	24	6	38
885 MF1216	12	16	35	885 MF2408	24	8	40
885 MF1220	12	20	40	885 MF2410	24	10	45
885 MF1224	12	24	42	885 MF2412	24	12	50
885 MF1506	15	6	23	885 MF2416	24	16	58
885 MF1508	15	8	25	885 MF2420	24	20	65
885 MF1510	15	10	28	885 MF2424	24	24	70
885 MF1512	15	12	34	* Add suffix	'SS' fo	r stainl	ess.