



Solar Cube Precision Solar Tracking & Management







Solar Tracking & Management Controller

- Out-of-the-box solution
- Easy to set up
- Flexbility to adapt to any installtion
- Built-in sun positioning algorithm
- · Integrated Ethernet option for remote web access







Solar Cube Overview

The IMO Solar Cube has been developed as a ground breaking, easy to set up solar tracking and measurement controller with the flexibility to adapt to any installation.

The Solar Cube is an off the shelf controller designed for use on either one or two axis solar panel installations to track the sun's movement and provide optimum panel (or array) positioning. The sun's position is calculated using the local time and date comparing this with the longitude and latitude location of the solar array. From this data the Solar Cube calculates the 'zenith angle' and the 'azimuth angle', which together exactly specify the position of the sun in the sky.

To position the array the Solar Cube uses feedback from an electronic compass device connected via RS485 which then activates the solar array's actuators until the correct position is reached. The compass is mounted directly on the array frame to give accurate positioning information.

With the option of GPS positioning or manual inputting of the array's location, the Solar Cube is easy to setup anywhere in the world. The Solar Cube is a competitive solution for controlling each array or it can be configured to control up to 4 arrays from one controller providing additional savings. Options for feedback and control from a single control station or via a web server are also available.

Solar Cube also offers data logging facilities using its own internal MicroSD card. Power output can be logged continually to produce daily, monthly and yearly figures. Revenues can be calculated along with CO_2 reduction figures.

Solar Cube Key Features

- 3.5" Monochrome Touch Screen
- 5 Pre-programmed function keys
- Built-in sun positioning algorithm, accurate to 0.1°
- Integrated Ethernet option for remote web access
- · 3D Compass input for accurate positioning
- · Automatic location and clock updates with GPS
- · MicroSD card for data logging
- Password security for all settings
- · Error based adjustment with configurable error values for each axis
- · Configurable minimum and maximum adjustment angles
- · Configurable safety cut-out system
- Configurable twilight settings (returns to morning position automatically)
- · Single Axis supports Azimuth or Zenith tracking
- · Supports custom inverter serial communications
- · Emergency Stop input
- Manual Jog function
- Manual Override key
- · Optional Ice and Wind Sensor inputs
- Four motor outputs (For 2 Axis Control)
- · Limit Switch inputs for safety cut out
- Optional Washer Control output
- · Analog input for power output measurement (CT Connection)
- · Optional analog input for light level sensing
- IP65 (NEMA4) CE, cUL, UL
- 10-30VDC supply

Solar Cube Data Logging


- Total kWh produced to date
- Total kWh produced today
- Current Power Output graph (kW against time)
- Yesterday's Power Output graph
- Yield Values for last 31 days (kWh against days)
- · Yield Values for last 12 months (kWh against months)
- · Specific Annual Yield

Part Numbers


Single Array

Part Number	Description
SOLARCUBE-1A	Single Array Solar Tracker, 1 or 2 axis configurable
COMPASS-485	3D Postional Compass
0EM GPS RECEIVER	RS232 GPS Receiver





W: 96mm




Four Array

H: 96mm

D: 58mm

Part Number	Description
SOLARCUBE-1A	Four Array Solar Tracker, 1 or 2 axis configurable
SMT-CD-R20-V3 (x3)	Slave Array I/O Repeater
COMPASS-485 (x4)	3D Postional Compass
OEM GPS RECEIVER	RS232 GPS Receiver

Note: Above configuration can be used for each group of 4 Arrays. Where a large number of Arrays need linking a Master Control option is available, call IMO for details.




Precise Solar Tracking

The sun's position calculation depends upon the current time and date as well as longitude and latitude location of the solar array. The results of this calculation are the 'zenith angle' and the 'azimuth angle', which together exactly specify the position of the sun in the sky. h - elevation angle, measured up from the horizon

z - zenith angle, measured from vertical

A - azimuth angle, measured clockwise from north





Solar Cube Physical Features





Micro"

Create MS Excel compatible files, backup/restore user programs and change recipe templates.

Access the data remotely using IMO i3-Transfer software. Copy, paste and delete files through Serial or GSM connections, or through the IMO iConnect.

Automate the file transfer process through powerful scripting.

Data Logging Facility

Solar Cube also offers data logging facilities using its own internal MicroSD card. Power output can be logged continually to produce daily, monthly and annual figures. Revenues can be calculated along with $\rm CO_2$ avoidance figures.





IMO Worldwide Offices

IMO Precision Controls Limited

The Interchange Frobisher Way Hatfield, Herts AL10 9TG United Kingdom

 Tel:
 01707 414 444

 Fax:
 01707 414 445

 Email:
 imo@imopc.com

 Web:
 www.imopc.com

IMO Canada

Unit 32 - B - North 18 Strathearn Avenue, Brampton Ontario L6T 4Y2 Canada

Tel: 905 799 9237 Fax: 905 799 0450 Email: imo-ca@imopc.com Web: www.imopc.com

IMO Automation LLC

Steeplechase Industrial Park Suite E, 5845 Steeplechase Blvd Cumming, GA 30040 USA

Tel: 404 476 8810 Fax: 678 679 7112 Email: imo-usa@imopc.com Web: www.imoautomation.com

IMO Jeambrun Automation SAS

5, Rue Alfred De Musset 94100 Saint-Maur-Des-Fosses France

 Tel:
 0800 912 712 (nº gratuit)

 Fax:
 0145 134 737

 Email:
 imo-fr@imopc.com

 Web:
 www.imojeambrun.fr

IMO Automazione

Via Belfiore 10, 50144 Firenze (FI) Italia

 Tel:
 800 930 872 (toll free)

 Fax:
 8000 452 6445

 Email:
 imo-it@imopc.com

 Web:
 www.imopc.it



IMO South Africa (Pty) Ltd G16 Centurion Business Park Montague Gardens Cape Town 7441 South Africa

 Tel:
 021 551 1787

 Fax:
 021 555 0676

 Email:
 info@imopc.co.za

 Web:
 www.imopc.co.za

IMO Pacific Pty Ltd

Unit 9, Dillington Pass Landsdale Perth WA 6065 Australia

Tel: 08 9302 5246 Fax: 08 9303 9908 Email: sales@imopacific.com.au Web: www.imopacific.com.au

Linked in

Connect with and follow IMO Precision Controls Ltd. for the latest news, views and reviews

